



Pulsar Mouse USB optical X2 medium white PX2222D

Tootekood: **PX2222D** · Tootja: **Pulsar** · EAN: **8809773556224** · Laos: 20 tk

Põhiandmed

Kasutusotstarve	Gaming
Toetatud Windowsi versioonid	Windows 7
Toetatud macOS-i versioonid	Jah
Toetatud Linuxi versioonid	Jah
Tk pakendis	1 tk
Reaktsiooniaeg	1 ms

Kirjeldus

PULSAR X2.Medium White (PX2222D)

ULTRA LIGHT WEIGHT “Simple but not simpler.” We kept this in mind all the time when we designed the X2 structure. We designed a structure as simple as possible but maintained its durability. As a result, you are getting a high-performance gaming mouse that is lighter than the egg in your hand.

THE MOST EFFICIENT AND POWERFUL SENSOR Introducing the X2, featuring the latest flagship PixArt's PAW3395 sensor. With its impressive capabilities, including high performance at 26000 dpi, 650 IPS, and 50G acceleration, it is optimized to deliver a top-notch competitive gaming experience. The main chip processor has been upgraded to the industry's leading Nordic MCU, providing exceptional power efficiency and precise, fast processing.

PixArt Motion Sync Technology This latest flagship sensor from Pixart has the highest specs in the market with extreme precision of 99.6% resolution accuracy. However, this does not mean the sensor is more accurate tracking. To make your sensor more accurate tracking, the Motion-Sync Technology is built into the sensor. Your PC extracts information from another sensor at a rate that does not perfectly match the signal the mouse sends out when it extracts information from another sensor. The Motion-Sync Technology synchronize its signals intelligently at the exact intervals your pc extracts information. This allows the tracking to be very accurate. However, this may cause some motion-delay (less than 1ms) that is not noticeable during in-game play. You can choose to turn on

and off this Technology by Pulsar Fusion Software.

Tehnilised andmed

Üldandmed	
Kasutusotstarve	Gaming
Värv	Valge
Toetatud Windowsi versioonid	Windows 7
Toetatud macOS-i versioonid	Jah
Toetatud Linuxi versioonid	Jah
Tk pakendis	1 tk
Ekraan	
Reaktsiooniaeg	1 ms
Jõudlus	
Liikumise eraldusvõime	26000 DPI
Nuppude tüüp	Pressed buttons
Kerimistüüp	Ratas
Kerimisraste arv	1
Hiire jälgimiskiirus	650 ips
Päringusagedus	1000 Hz
Ühendused	
Ühendustehnoloogia	Juhtmega
Ühendusliides	USB Type-A
USB-port	Jah
Toide ja energia	
Toiteallikas	Cable
Vahelduvvooluadapter kaasas	Ei
Mõõdud ja kaal	
Laius	63 mm
Sügavus	120.4 mm
Kõrgus	38 mm
Kaal	51 g

Muu

Liikumise tuvastamise tehnoloogia	Mechanical
Acceleration (max)	50 G
Vormitegur	Ambidextrous
Tootja garantii	24 kuud