



Dahua Wrl camera 4MP LED bullet Wi-Fi F4C-LED 2.8MM

Tootekood: **F4C-LED2.8MM** · Tootja: **Dahua** · EAN: **6939554914393** · Laos: 30 tk

Põhiandmed

Tüüp	IP security camera
Korpuse materjal	Metal/Plastic
Toetatud mobiilsed operatsioonisüsteemid	Android/iOS
Maksimaalne eraldusvõime	2560 x 1440 pixels
Sensori tüüp	CMOS
Sisseehitatud kaardilugeja	Jah

Kirjeldus

4MP Fixed-focal Wi-Fi Bullet Network Camera

The Bullet Series, which is under the Dahua Wireless series, are cameras that are not only easy to install and operate, but also perform outstandingly and are cost-effective. They capture sharp, detailed images of scenes in high definition and offer powerful functions, such as AI human detection, to accurately trigger alarms. Information is also synchronously sent to your phone to keep you up-to-date. With its IP67 rating, these cameras are able to withstand harsh environments, making them highly suitable for use in small and medium-sized settings such as small-sized retail stores.

Tehnilised andmed

Üldandmed

Tüüp	IP security camera
Värv	Black/White
Korpuse materjal	Metal/Plastic
Toetatud mobiilsed operatsioonisüsteemid	Android/iOS
Mudel	F4C-LED 2.8MM

Ekraan	
Maksimaalne eraldusvõime	2560 x 1440 pixels
Jõudlus	
Sensori tüüp	CMOS
Mäluseadmed	
Sisseehitatud kaardilugeja	Jah
Ühilduvad mälukaardid	MicroSD (TransFlash)
Maksimaalne mälukaardi maht	256 GB
Ühendused	
Ühendustehnoloogia	Juhtmega ja juhtmevaba
Võrk	
Ethernet LAN	Jah
Etherneti liidese tüüp	Fast Ethernet
Wi-Fi	Jah
Wi-Fi standardid	802.11b/802.11g/Wi-Fi 4 (802.11n)
Ethernet (RJ-45) portide arv	1
Toide ja energia	
Toiteallika tüüp	DC
Tüüpiline energiatarve	2.2 W
Maksimaalne energiatarve	5.4 W
Ergonoomika ja kinnitus	
Paigaldustüüp	Wall
Mõõdud ja kaal	
Laius	78.4 mm
Sügavus	131 mm
Kõrgus	97.2 mm
Kaal	254.5 g
Töötingimused	
IP-kaitseklass	IP67
Töötemperatuur	-40 - 60 °C

Sertifikaadid

Sertifikaat	CE-LVD: EN62368-1;; CE-EMC: Electromagnetic Compatibility Directive 2014/30/EU;; CE-RED: Radio Equipment Directive 2014/53/EU
-------------	---

Muu

Placement supported	Indoor & outdoor
Wide Dynamic Range (WDR)	Jah
Day/night mode	Jah
Built-in light	Jah
Antenna type	External
Antennas quantity	2
Vormitegur	Bullet
Lens viewing angle, horizontal	98 °
Lens viewing angle, vertical	55 °
Lens viewing angle, diagonal	115 °
Camera shutter type	Electronic
Camera shutter speed	1/3 - 1/100000 s
Optical sensor size	1/3 "
Maximum aperture number	1.6
Fixed focal length	2.8 mm
Night vision	Jah
LED type	Valge
Number of illumination LEDs	2
Total megapixels	4 MP
Video compression formats	H.264/H.264B/H.264H/H.265
Supported graphics resolutions	1280 x 720 (HD 720)/1280 x 960/1920 x 1080 (HD 1080)/2304 x 1296/2560 x 1440
Frame rate	30 fps
Video streaming	Jah
Bit rate	H.264: 32kbps ~ 4096kbps, H.265: 12kbps ~ 4096kbps
Digital Wide Dynamic Range (DWDR)	Jah

Sisseehitatud mikrofon	Jah
Voice codecs	G.711a/G.711Mu/G.726/PCM
Video motion detection	Jah
Smartphone/tablet remote support	Jah
DC output voltage	12
Number of cameras	1
Tootja garantii	36 kuud