



TP-Link Wrl camera pan tilt tapo C212

Tootekood: **TAPOC212** · Tootja: **TP-Link** · EAN: **4895252503647** · Laos: 2 tk

Põhiandmed

High-Definition Video	Records every image in crystal-clear view
Pan and Tilt	360° horizontal and 114° vertical range
Advanced Night Vision	Provides a visual distance of up to 30 ft
Motion Detection and Notifications	Notifies you when the camera detects movement
Sound and Light Alarm	Trigger light and sound effects to frighten away unwanted visitors
Two-Way Audio	Enables communication through a built-in microphone and speaker
Safe Storage	Locally stores up to 512 GB on a microSD card
Voice Control	Free Up Your Hands with Voice Control: Works with the Google Assistant and Amazon Alexa. (Google Assistant and Amazon Alexa are not available in all languages and countries)

Kirjeldus

Secure. Smart. Easy. Always Know What Matters Most to You. Pan/Tilt Home Security Wi-Fi Camera

Person Detection and Notifications Customizable Your Activity Zones to Know What Matters Control what alerts you receive by creating multiple custom activity zones around areas that matter.

Precise Motion Tracking Keep an Eye on the Action When motion activity is detected, tracks and follows the subject to keep it within view.

Ethernet/Wi-Fi Connection You can not only connect the security camera by using Wi-Fi, but also connect through the Ethernet port.

Tapo Sharing- Funny ClipsTo share funny records with your families or guests.- Tapo DevicesTo share your Tapo security devices with your families or guests

Advanced Night VisionThe 850nm infrared night vision supports automatic color switch filter in low light conditions with a visual distance of up to 30 ft.

Two-Way AudioCommunicate through a built-in microphone and speaker.

Tehnilised andmed

Üldandmed	
Tüüp	IP security camera
Värv	Valge
LED-indikaatorid	Jah
Sisseehitatud kõlarid	Jah
Lähtestusnupp	Jah
Kasutusjuhend (käsiraamat)	Jah
Mudel	Tapo C212
Ekraan	
Maksimaalne eraldusvõime	2304 x 1296 pixels
Jõudlus	
Sensori tüüp	CMOS
Toetatud videovormingud	H.264/H.265
Mäluseadmed	
Sisseehitatud kaardilugeja	Jah
Ühilduvad mälukaardid	MicroSD (TransFlash)
Maksimaalne mälukaardi maht	512 GB
Ühendused	
Ühendustehnoloogia	Juhtmega ja juhtmevaba
Kaabli pikkus	3 m
Võrk	
Ethernet LAN	Jah
Etherneti liidese tüüp	Fast Ethernet
Võrgustandardid	IEEE 802.11b/IEEE 802.11g/IEEE 802.11n

Wi-Fi	Jah
Wi-Fi standardid	802.11b/802.11g/Wi-Fi 4 (802.11n)
Bluetooth	Ei
Ethernet (RJ-45) portide arv	1
Turvaalgoritmid	128-bit AES/SSL/TLS/WPA/WPA2-PSK
Toide ja energia	
DC-sisendi pesa	Jah
Toiteallika tüüp	DC
Sisendpinge (AC)	100 - 240 V
Sisendsagedus (AC)	50 - 60 Hz
Tüüpiline energiatarve	3.9 W
Maksimaalne energiatarve	5.3 W
Ergonoomika ja kinnitus	
Paigaldustüüp	Ceiling/Wall/Desk
Möödud ja kaal	
Laius	82.05 mm
Sügavus	82 mm
Kõrgus	112.6 mm
Kaal	200 g
Pakendi laius	170 mm
Pakendi sügavus	170 mm
Pakendi kõrgus	100 mm
Pakendi kaal	440 g
Muu	
Placement supported	Indoor
PTZ control	Jah
Virtual assistant	Amazon Alexa & Google Assistant
Day/night mode	Jah
Infrared (IR) cut-off filter	Jah
Vormitegur	Bulb

Lens viewing angle, horizontal	88.11 °
Lens viewing angle, vertical	46.65 °
Lens viewing angle, diagonal	107.52 °
Number of sensors	1
Optical sensor size	1/2.8 "
Maximum aperture number	2.4
Fixed focal length	3.83 mm
Night vision	Jah
Night vision distance	10 m
LED type	IR
Infra-red wavelength	850 nm
Total megapixels	3 MP
Supported graphics resolutions	2304 x 1296
Frame rate	30 fps
Audio system	2-way
Sisseehitatud mikrofon	Jah
Supported network protocols	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
Live view	Jah
Built-in HDD	Ei
DC output voltage	9
DC output current	0.6 A
Number of cameras	1
Mounting kit	Jah
Tootja garantii	24 kuud