

ASRock CPU cooler multi socket challenger 240 digital

Tootekood: **CHALLENGER 240 DIGITAL** · Tootja: **ASRock** · EAN: **4711581493469** · Laos: 3 tk

Põhiandmed

Tüüp	All-in-one liquid cooler
Sobiv kasutuskoht	Processor
Tk pakendis	1 tk
Mudeli nimi	Challenger 240 Digital
Ekraani diagonaal	3 "
Ekraani tüüp	LED

Kirjeldus

The Challenger AIO liquid cooler embodies fearless gaming in cooling design.With a 3" digital display, dynamic ARGB illumination, and performance-tuned fan system, it’s built to deliver smooth, reliable cooling for every gaming setup.

Forge the Future Dominate the GameChallenger Series is all about fearless play, bold breakthroughs, and relentless evolution. Packed with solid specs at a gamer-friendly price, it’s the ultimate option

3" Smart Digital DisplayThe water block integrates a vivid digital display with dazzling ARGB lighting, showing real-time CPU temperature, frequency and pump speed for effortless system monitoring.

Challenger Driver InstallationInstall the Challenger Driver to display system information and adjust mode switching time.

Next-Gen Cooling PumpPrecision-engineered structure and automotive-grade components, powered by a 3-phase, 6-slot, 4-pole motor for stronger flow, extended durability, and peak cooling performance for unwavering CPU stability.

Tehnilised andmed

Üldandmed

Tüüp	All-in-one liquid cooler

Sobiv kasutuskoht	Processor
Tk pakendis	1 tk
Värv	Must
Mudeli nimi	Challenger 240 Digital
Ekraan	
Ekraani diagonaal	3 "
Ekraani tüüp	LED
Sisseehitatud ekraan	Jah
Jõudlus	
Toetatud protsessoripesad	LGA 1700/LGA 1851/Socket AM4/Socket AM5
Ventilaatorite arv	2 fan(s)
Mõõdud ja kaal	
Ventilaatori läbimõõt	120 mm
Töötingimused	
Maksimaalne õhuvool	62.6 cfm
Sertifikaadid	
Vastavussertifikaadid	CE/Federal Communications Commission (FCC)/UKCA/WEEE
Muu	
Maximum air pressure	1.77 mmH2O
Pulse-width modulation (PWM) support	Jah
Fan noise level (max)	31 dB
Fan bearing technology	Rifle bearing
Pump connector	4-pin
Fan speed (max)	2100 RPM
Fan speed (min)	0 RPM
Pump motor speed (max)	3200 RPM
Pump motor speed (min)	1200 RPM
Radiator material	Aluminum
Base plate material	Copper
Illumination LED	Jah

Valgustuse värv	Mitmevärviline
Fan connector	4-pin
Fan current	0.18 A
Fan voltage	12 V
Pump current	720 mA
Pump voltage	12 V
Radiator width	119.2 mm
Radiator depth	277 mm
Radiator height	27 mm
Tube length	450 mm
Pump width	84.1 mm
Pump depth	85 mm
Pump height	53.5 mm
Fan dimensions (W x D x H)	120 x 120 x 25.4 mm
Tootja garantii	12 kuud