



ASUS Wireless Router GS-BE7200, Wi-Fi 7 (802.11be), Data speed 7200 Mbit s

Tootekood: 90IG0AC0-M09C00 · Tootja: ASUS · EAN: 4711636085052 · Laos: 6 tk

Põhiandmed

Lähtetusnupp	Jah
LED-indikaatorid	WAN,WLAN,System
Sisse/välja lüliti	Jah
Kaablid kaasas	DC
Kiirjuhend	Jah
Pakendi tüüp	Box

Kirjeldus

ROG Strix GS-BE7200 Dual-band WiFi 7 (802.11be) Gaming Router, supports 4096-QAM, up to 7.2 Gbps, dual gaming ports, enhanced 5GHz long-range antennas, Gaming Network, Smart Home Master, AiProtection, and comprehensive VPN features

ROG Strix GS-BE7200POWER YOUR VICTORYThe ROG Strix GS-BE7200 is a premium WiFi 7 gaming router delivering up to 7200Mbps with dual-band Multi-Link Operation, 160MHz channels, and advanced 4K-QAM for fast, stable, low-latency online gameplay. Its advanced 5GHz 5T5R five-antenna design improves signal throughput by up to 15% for extended coverage, while two dedicated 2.5G Ethernet gaming ports prioritize wired gaming traffic for smoother, more responsive play.

Tehnilised andmed

Üldandmed	
Lähtetusnupp	Jah
Värv	Black/White
LED-indikaatorid	WAN,WLAN,System
Sisse/välja lüliti	Jah
Kaablid kaasas	DC
Kiirjuhend	Jah

Pakendi tüüp	Box
Komplektis tooteid	1 tk
Mudeli nimi	GS-BE7200
Jõudlus	
Protsessori sagedus	2000 MHz
Protsessori tuumade arv	4
Mäluseadmed	
Mälu (RAM)	1024 MB
Mälu tüüp	DDR4
Ühendused	
USB-port	Ei
Võrk	
Wi-Fi sagedusriba	Dual-band (2.4 GHz / 5 GHz)
Parim Wi-Fi standard	Wi-Fi 7 (802.11be)
Wi-Fi standardid	802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax)/Wi-Fi 7 (802.11be)
Ethernet LAN	Jah
Etherneti LAN-i kiirused	2500 Mbit/s
Võrgustandardid	IEEE 802.11a/IEEE 802.11ac/IEEE 802.11ax/IEEE 802.11b/IEEE 802.11be/IEEE 802.11g/IEEE 802.11n
Ethernet (RJ-45) portide arv	4
QoS-i tugi	Jah
Turvaalgoritmid	SSH/WPA/WPA2/WPA3-Enterprise/WPA3-Personal/WPS
Toide ja energia	
DC-sisendi pesa	Jah
Toiteallika tüüp	DC
Sisendpinge (AC)	110 - 240 V
Sisendsagedus (AC)	50/60 Hz
Mõõdud ja kaal	
Sügavus	80 mm
Kõrgus	207 mm

Kaal	750 g
Laius	182.3 mm
Pakendi laius	273 mm
Pakendi sügavus	241 mm
Pakendi kõrgus	95 mm
Pakendi kaal	1390 g
Muu	
WLAN data transfer rate (max)	7200 Mbit/s
WLAN data transfer rate (first band)	1376 Mbit/s
WLAN data transfer rate (second band)	5764 Mbit/s
Ethernet WAN	Jah
DSL WAN	Ei
SIM card slot	Ei
WAN connection type	RJ-45
Ethernet LAN interface type	2.5 Gigabit Ethernet
Cabling technology	10/100/1000Base-T(X)
VPN server	Y
PPPoE/PPTP/L2TP pass-through	Jah
VPN support	Instant Guard; VPN Client L2TP; VPN Client Open VPN; VPN Client PPTP; VPN Client WireGuard; VPN Server IPSec; VPN Server Open VPN; VPN Server PPTP; VPN Server WireGuard; VPN Fusion
Web-based management	Jah
Bandwidth control	Jah
WPS push button	Jah
MU-MIMO technology	Jah
Traffic statistics	Jah
Firewall	Jah
Guest access	Jah
Parental control	Jah
IGMP snooping	Jah

Network address translation (NAT)	Jah
NAT functionality	NAT Passthrough : NAT Passthrough ;; NAT Passthrough : PPTP Pass-Through; NAT Passthrough : L2TP Pass-Through; NAT Passthrough : IPSec Pass-Through; NAT Passthrough : RTSP Pass-Through; NAT Passthrough : H.323 Pass-Through; NAT Passthrough : SIP Pass-Through; NA
DHCP server	Jah
Toote tüüp	Tabletop router
Antenna design	Internal
Antennas quantity	6
Built-in processor	Jah
Flash memory	128 MB
Output voltage	12 V
Output current	2.5 A
Tootja garantii	36 kuud