



Axagon Net adapter USB-C 1GB ade-src

Tootekood: **ADE-SRC** · Tootja: **Axagon** · EAN: **8595247903785** · Laos: 2 tk

Põhiandmed

Sobib seadmele	PC/Laptop
Plug and Play	Jah
LED-indikaatorid	Jah
Toetatud Windowsi versioonid	Jah
Toetatud macOS-i versioonid	Jah
Toetatud Linuxi versioonid	Jah

Kirjeldus

The compact super-speed AXAGON ADE-SRC adapter easily converts USB-C 3.1 Gen 1 port to Gigabit Ethernet 10/100/1000 Mbit port.

In addition to a Gigabit bandwidth, the network card offers a wide range of features, such as IPv4/IPv6 checksum to reduce CPU loading by checksums, the crossover detection and auto-correction, TCP large send offload, support for various modes of the Wake-on-LAN feature, the work with virtual LAN (VLAN) and advanced Power Management features.

In modern operating systems from Windows 8.1 above, the adapter allows easy automatic installation without the need for an Internet connection.

Gigabit network card extends your computer by a fast network connection, adds the missing RJ-45 network connector or another network card, or replaces the original defunct network connection.

The support for current versions of Windows, Mac OS X, and Linux operating systems allows it to be used for any desktop, laptop or ultrabook equipped with a modern two-sided USB Type C connector. Also, some Android phones and tablets, such as the Samsung S9+, can be easily connected to the Internet with a network Ethernet cable thanks to this adapter.

Tehnilised andmed

Üldandmed

Sobib seadmele	PC/Laptop
----------------	-----------

Värv	Must
Plug and Play	Jah
LED-indikaatorid	Jah
Päritoluriik	Hiina
Toetatud Windowsi versioonid	Jah
Toetatud macOS-i versioonid	Jah
Toetatud Linuxi versioonid	Jah
Kasutusjuhend (käsiraamat)	Jah
Mudel	ADE-SRC
Mudeli nimi	ADE-SRC USB-C gigabit ethernet adapter
Ühendused	
Ühendustehnoloogia	Juhtmega
Hostliides	USB Type-C
Liides	Ethernet
USB versioon	2.0/3.2 Gen 1 (3.1 Gen 1)
Maksimaalne andmeedastuskiirus	1000 Mbit/s
Kaabli pikkus	0.15 m
Võrk	
Ethernet (RJ-45) portide arv	1
Võrgustandardid	IEEE 802.1p/IEEE 802.3/IEEE 802.3ab/IEEE 802.3az/IEEE 802.3u/IEEE 802.3x
Ethernet LAN	Jah
Etherneti liidese tüüp	Fast Ethernet/Gigabit Ethernet
Etherneti LAN-i kiirused	10/100/1000 Mbit/s
Jumbo-kaadrite tugi	Jah
Toide ja energia	
USB-toitega	Jah
Mõõdud ja kaal	
Laius	61 mm
Sügavus	25 mm
Kõrgus	17 mm

Kaal	23 g
Pakendi laius	180 mm
Pakendi sügavus	90 mm
Pakendi kõrgus	25 mm
Pakendi kaal	54 g
Sertifikaadid	
Sertifikaat	CE, RoHS
Vastavussertifikaadid	CE/RoHS
Muu	
Wake-on-LAN ready	Jah
Full duplex	Jah
VLAN support	Jah
LAN controller	Realtek RTL8153
Internal	Ei
Chipset	Realtek RTL8153
Server operating systems supported	Jah
Data transfer rate	5 Gbit/s
Tootja garantii	24 kuud