



Axagon Net adapter USB3.2 1GB ade-ar

Tootekood: **ADE-AR** · Tootja: **Axagon** · EAN: **8595247907929** · Laos: 10 tk

Põhiandmed

Sobib seadmele	PC/Laptop
Plug and Play	Jah
LED-indikaatorid	Jah
Toetatud Windowsi versioonid	Jah
Toetatud macOS-i versioonid	Jah
Toetatud Linuxi versioonid	Jah

Kirjeldus

The external network card AXAGON ADE-AR easily converts USB-A 3.2 Gen 1 port to Gigabit Ethernet port. USB network adapter compatible with 10/100/1000 Mbit/s expands the computer with a fast and stable network connection, adds the missing RJ-45 network connector, adds another network card, or replaces the original non-functional network connection.

In addition to gigabit throughput, the LAN adapter offers a wide range of features such as. IPv4/IPv6 checksum to reduce CPU load by checksums, the crossover detection and auto-correction, TCP large send offload, support for various modes of the Wake-on-LAN feature, the work with VLAN and advanced Power Management features.

Thanks to its compact dimensions and minimal weight, it is an ideal accessory for laptops. Support for current versions of Windows, macOS, Linux and Chrome OS operating systems allows it to be used for any desktop computer, laptop or ultrabook. In Windows from version 8.1 and above, the adapter enables easy automatic installation without the need for an Internet connection.

Tehnilised andmed

Üldandmed

Sobib seadmele	PC/Laptop
Värv	Must
Plug and Play	Jah

LED-indikaatorid	Jah
Päritoluriik	Hiina
Toetatud Windowsi versioonid	Jah
Toetatud macOS-i versioonid	Jah
Toetatud Linuxi versioonid	Jah
Kaablid kaasas	USB
Kasutusjuhend (käsiraamat)	Jah
Mudel	ADE-AR
Mudeli nimi	ADE-AR USB-A 3.2 Gen 1 - Gigabit Ethernet adapter, Realtek 8153

Ühendused

Ühendustehnoloogia	Juhtmega
Hostliides	USB
Liides	Ethernet
USB versioon	2.0/3.2 Gen 1 (3.1 Gen 1)
Maksimaalne andmeedastuskiirus	1000 Mbit/s

Võrk

Ethernet (RJ-45) portide arv	1
Võrgustandardid	IEEE 802.1p/IEEE 802.1Q/IEEE 802.3/IEEE 802.3ab/IEEE 802.3az
Ethernet LAN	Jah
Etherneti liidese tüüp	Fast Ethernet/Gigabit Ethernet
Etherneti LAN-i kiirused	10/100/1000 Mbit/s
Wi-Fi	Ei
Jumbo-kaadrite tugi	Jah

Toide ja energia

USB-toitega	Jah
-------------	-----

Mõõdud ja kaal

Laius	58 mm
Sügavus	24 mm
Kõrgus	16 mm

Kaal	22 g
Pakendi laius	203 mm
Pakendi sügavus	99 mm
Pakendi kõrgus	28 mm
Pakendi kaal	68 g
Sertifikaadid	
Sertifikaat	CE
Vastavussertifikaadid	RoHS
Muu	
Wake-on-LAN ready	Jah
Full duplex	Jah
VLAN support	Jah
LAN controller	Realtek RTL8153
Internal	Ei
Chipset	Realtek RTL8153
Server operating systems supported	Jah
Tootja garantii	24 kuud