



ASUS Graphics Card NVIDIA GeForce RTX 5070 DUAL-RTX5070-O12G

Tootekood: **DUAL-RTX5070-O12G** · Tootja: **ASUS** · EAN: **4711636046213** · Laos: 20 tk

Põhiandmed

Toetatud Windowsi versioonid	Jah
Pakendi tüüp	Box
Mudeli nimi	DUAL-RTX5070-O12G
Maksimaalne eraldusvõime	7680 x 4320 pixels
Jahutuse tüüp	Active
Ventilaatorite arv	2 fan(s)

Kirjeldus

Dual Fans, Perfect FitASUS Dual GeForce RTX™ 5070 combines powerful thermal performance with broad compatibility. Advanced cooling solutions from flagship graphics cards — including two Axial-tech fans for optimizing airflow to the heatsink. Designed with a compact profile, delivering more power in less space. These enhancements make ASUS Dual the perfect choice for gamers who want heavyweight graphics performance in a compact build.

Tehnilised andmed

Üldandmed

Värv	Mitmevärviline
Toetatud Windowsi versioonid	Jah
Pakendi tüüp	Box
Mudeli nimi	DUAL-RTX5070-O12G
Mudel	DUAL-RTX5070-O12G

Ekraan

Maksimaalne eraldusvõime	7680 x 4320 pixels
--------------------------	--------------------

Jõudlus

Jahutuse tüüp	Active
Ventilaatorite arv	2 fan(s)
Ühendused	
HDMI portide arv	1
HDMI versioon	2.1b
DisplayPort versioon	2.1b
DisplayPort portide arv	3
HDCP	Jah
Mõõdud ja kaal	
Kaal	855 g
Sügavus	50.6 mm
Kõrgus	126 mm
Pakendi laius	405 mm
Pakendi sügavus	233 mm
Pakendi kõrgus	88.5 mm
Pakendi kaal	1556 g
Muu	
Graphics processor family	NVIDIA
Graphics processor	GeForce RTX 5070
Processor boost clock speed	2542 MHz
Processor frequency (OC mode)	2572 MHz
CUDA	Jah
CUDA cores	6144
Maximum displays per videocard	4
Parallel processing technology support	Not supported
Discrete graphics card memory	12 GB
Graphics card memory type	GDDR7
Memory bus	192 bit
Data transfer rate	28 Gbit/s
Interface type	PCI Express 5.0

OpenGL version	4.6
Virtual Reality (VR) ready	Jah
HDCP version	2.3
Dual Link DVI	Ei
NVIDIA G-SYNC	Jah
NPU performance up to	988 TOPs
Cooling technology	ASUS Axial-tech
Vormitegur	Full-Height/Half-Length (FH/HL)
Number of slots	2.53
SFF ready	Jah
Minimum system power supply	750 W
Supplementary power connectors	1x 16-pin
Length	249 mm
Tootja garantii	36 kuud