



ASUS Case ATX micro ATX Mini-ITX 90DC0110-B19000

Tootekood: 90DC0110-B19000 · Tootja: ASUS · Laos: 5 tk

Põhiandmed

Tüüp	PC
Mudeli nimi	PRIME AP304 TG ARGB BLACK
USB-A (USB 3.2 Gen 1) portide arv	2
Laius	240 mm
Sügavus	535 mm
Kõrgus	450 mm

Kirjeldus

The ASUS Prime AP304 ARGB is an ATX case with a curved glass panel and four pre-installed ARGB fans, supporting graphics cards up to 420mm in length and featuring a patented airflow design that includes an innovative slot vent in the lower section of the chassis.

ASUS Prime AP304 ARGBThe ASUS Prime AP304 ARGB is a versatile panoramic ATX chassis designed to showcase system components with style. A patented slot vent with a three-sided ventilation structure provides optimal cooling for the graphics card, while an integrated ARGB light band works seamlessly with ASUS Aura Sync. Plus, a patented graphics card slot clamp and reinforced graphics card bracket provide easy and secure installation in a variety of builds.

Tehnilised andmed

Üldandmed

Tüüp	PC
Värv	Must
Mudeli nimi	PRIME AP304 TG ARGB BLACK

Ühendused

USB-A (USB 3.2 Gen 1) portide arv	2
-----------------------------------	---

Mõõdud ja kaal

Laius	240 mm
Sügavus	535 mm
Kõrgus	450 mm
Kaal	11500 g
Pakendi laius	530 mm
Pakendi sügavus	325 mm
Pakendi kõrgus	625 mm
Pakendi kaal	13000 g
Muu	
Supported motherboard form factors	ATX/micro ATX/Mini-ITX
Number of 3.5" bays	2
Number of expansion slots	7
Side window	Jah
Illumination	Jah
Illumination colour	Mitmevärviline
Anti-dust filter	Jah
Cable management	Jah
On/off button	Jah
Maximum CPU cooler height	175 mm
Maximum graphics card length	420 mm
Maximum PSU length	200 mm
Built-in display	Ei
USB 3.2 Gen 2x2 Type-C ports quantity	1
Combo headphone/mic port	Jah
Side fans installed	3x 120 mm
Number of side fans supported (max)	3
Side fans diameters supported	120 mm
Rear fans installed	1x 120 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120 mm
Number of top fans supported (max)	3

Top fans diameters supported	120/140 mm
Top radiator sizes supported	120/240/360 mm
Supported HDD sizes	2.5/3.5 "
Tootja garantii	24 kuud